
THE AMERICAN MEDICAL DIGEST.

1883.

INDEX.



INDEX.

MEDICINE.

| PAGE | PAGE |
|--|--|
| Actinomycosis in Human Subject 109 | Bright's Disease-Anatomical Changes 77 |
| Adonis Vernalis-Therapeutic Action 155 | " Meigs on 16 |
| Ague—Burnt Alum 25 | Bromide of Arsenic Solution 97 |
| Albuminuria-Hygiene of | Bromide of Conium-Physiological Ac- |
| " Transitory—Causes 31 | tion 60 |
| Anæmia-Acute-Transfusion of Saline | Bronchitis 108 |
| Solutions 114 | " Ammon. Carb. Sachets 13 |
| Angina-Diphtheric-Massage in 45 | |
| Angina Pectoris 139 | Cachectic Conditions-Low Temperature 182 |
| " Nitrate of Sodium in 95 | Cannabis Indica-Sedative Action 170 |
| " Nitrous Compounds in., 152 | Carbolic Acid and Carbolates 4 |
| " Nitro-Glycerine in 152 | Cardiac Disease-Some Points in Treat- |
| " Treatment of 92 | ment 63 |
| Anti-Cholera Pill | Cardiac Hypertrophy following Neural- |
| Antiperiodic-Quinquinia 36 | gia of Anus 48 |
| Antipyretic 36 | Cardiac Murmurs—Misleading 96 |
| Aörtic Incompetence-Pulsation of Spleen | " Variation and Disap- |
| ın 64 | pearance 155 |
| Apomorphia as an Emetic 160 | Cascara as a Laxative 15 |
| Apoplexy 136 | Cases in Practice-Notes from 61 |
| " Treatment of 98 | Catarrhal Conditions-Powder for In- |
| Arsenical Paralysis-Pathology of 89 | sufflation 13 |
| Ary-epiglottic Folds—Œdema of 171 | Catarrh—Nasal—Chronic 109 |
| Ascaris Lumbricoides-Cerebral Symp- | " Cubebs in 157 |
| toms | Cephalalgia of Adolescence 169 |
| Asthenia—Renal 187 | Cephalic Auscultation in Mental Dis- |
| Asthma 45 | eases 74 |
| Asthmatics, and Catarrhal Subjects 126 | Cerebral Vacuolation |
| Auscultation of Trachea 142 | Cerebro-spinal Meningitis-Micrococcus. 104 |
| | " Treatment of. 55 |
| Bather's Cramp 142 | Chest Disease—Olive Oil in 12 |
| Beef Tea 134 | Chinolinum Tartrate 24 |
| Bile—Action of Alkalies on | Chloral Hydrate as a Cathartic 144 |
| " Function of 43 | Chloroform Internally 185 |
| Blood-letting as a Therapeutic Resource 68 | Cholagogue—Formula 61 |
| Body Temperature in Different Situa- | Cholera—Etiology—Pasteur on 190 |
| tions 99 | " Intra-venous Injection of Bilin 173 |
| | |

| PAGE | PAGE |
|---|--|
| Chorea—Acute | Diphtheria—Gargle in 134 |
| " Nothnagel on 170 | " Iron in 56 |
| Propylanine 40 | " Lactic Acid in 167 |
| " and Rheumatism 22 | " and Membraneous Croup 103 |
| " Succus Conii in 138 | " Pinus Canadensis in 149 |
| Chronic Cystitis 112 | " Thirty Years' Experience in. 148 |
| Codeia—Phosphate of 193 | " Tr. Ferri Chl. in |
| Cod Liver Oil-Another Substitute for 116 | " Transmission to Fowls 87 |
| Coffee and Effects 98 | " Treatment of 155 |
| Colic—Sulphate of Quinine 106 | " " 7 |
| Constipation | |
| " Chronic—Treatment of 176 | |
| Ext. Calabar Bean 107 | " Turpentine in 55 |
| Habitual | Diptheritic Croup—Calomel in 166 |
| r rescription for | " Erythema 134 |
| Rectal | Dwellings—Sanitary Defects of 150 |
| Convallaria Mailis in Heart Disease 48 | Dysentery |
| Cooked Milk—Digestibility of 15 | The Water Injections |
| Coryza—Atropia in | and Liver Aconocost the control of the |
| Cough Mixture—Palatable | Dyspepsia—Acute—Treatment of 173 "Treatment of |
| | |
| Cough—Spasmodic—Ethyl Bromide 45 Cramps—Treatment of | Dyspnæa—Aspidos perrine 46 |
| Creosote—Uses of | Endocarditis-Acute-Limited to right |
| Croup—Massage in | side of Heart 48 |
| Cystitis—Chronic—Suppositories in 141 | Encuresis—Voltaic Alteratives |
| ojstitis cinomic rappositories in | Enteric Fever—Disinfection of Stools 85 |
| Delirium Tremens—Ergot in 41 | " " Erythematous Eruption. 86 |
| " " Treatment of 123 | " Salicylates in 99 |
| DiabetesArsenic in | " Specific Treatment 33 |
| " Bromide of Arsenic in 63 | Epilepsy—After Alcoholic Excess 90 |
| " Iodoform | " Atropine in 10 |
| Prognosis 30 | " Borax in 10 |
| " Sudden Death and Coma 29 | " Curare in 89 |
| " Treatment of 30 | " From Worms-Treatment of., 160 |
| Diabetic Coma—Cause and Nature 111 | " Therapeutics of 154 |
| " vs. Diet 128 | " Treatment of 41 |
| " Treatment of 62 | |
| Diarrhœa—Calabar Bean in 191 | |
| " Chronic—Oxide of Zinc in 159 | " … 154 |
| " Eserine in 158 | Erysipelas—Borax and Glycerine in 133 |
| " Mineral Acids in 61 | " Curative Action 23 |
| " Percussion of Colon 106 | " Facial 132 |
| Diet vs. Diabetic Coma 128 | and Insanity 23 |
| Digestion—Influence of Calomel on 150 | Some New Discoveries 81 |
| Timidence of various agents in 44 | In the Stomach |
| Diphtheria—Blue-Gum in | Subcutaneous injections of |
| Dorax and Doracle Acid III 0 | Resorcin |
| Chinonia in | Infoughout Digestive Tube. |
| Chiorai riyarate in | " Treatment of 3 |
| " Chlorine Water in | " White Paint in 70 |
| " Corrosive Sublimate in | Experimental Investigation of Chloral, |
| " and Croup 148 | Opium and Potassium |
| " Etiology of | External Applications—Capsicum 105 |
| Little of Charles and Charles | and applications capsicum 100 |

INDEX.

| PAGE | PAGB |
|---|--|
| Fæces-Maggots in | Insomnia—Treatment of 184 |
| Fevers-Albuminuria of | Intermittent Fever - Faradization of |
| " Proximate Cause of 87 | Spleen in |
| Fissura Basi-Lateralis | Intermittent Spinal Paralysis 66 |
| Flatulence—Treatment of | Intestinal Obstruction—Mercury in 93 |
| | Internation of the state of the |
| Frequent Repetition of Doses 49 | " Rectal Tube 61 |
| Consumo of Laure Eurolauter in 170 | Jaundice-Clay-colored Stools in 144 |
| Gangrene of Lungs—Eucalyptus in 172 | |
| Gargle-Hot Water as 141 | " Jaborandi in 128 |
| General Paralysis—Early Symptoms 153 | |
| Glycerine-Effects of Internal Adminis- | Laryngitis—Turpeth Mineral and Calo- |
| tration 114 | mel 32 |
| Gout—Prescription for | Laxative—Sugar of Milk 44 |
| " Treatment of 98 | Left side-Cause of Pain in 74 |
| Gouty Dyscrasia—Diet in | " Leucæmia and Pseudo-Leu- |
| Gouty Pains and Neuralgia—External | cæmia24 |
| Application of Nitrate of Silver 139 | Liver Diseases—Fatty degeneration. New |
| | . 0 |
| Granulated Milk 102 | means of detecting 43 |
| | " Local Therapeutics 44 |
| Hæmato-Chyluria—Filarial | " Mode of Reproduction of 143 |
| Hæmaturia-Malarial 25 | " Swelling of-in Alco- |
| Hæmoglobin of Blood-Fowler's Solu- | holic Subjects 61 |
| tion 56 | " Torpid 192 |
| Hæmoptysis—Ergot in | Locomotor Ataxia—Recovery from 186 |
| " Tr. Carduus Marianus 12 | Lumbago—Treatment of |
| " Treatment of 157 | " " |
| Treatment of 197 | |
| Hay Fever—Pathology and Radical Cure 101 | 75 1 1 1 1 70 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| Headache—Remedies for | Malaria—Arsenic as a Prophylactic 179 |
| Heart Disease—Bromide of Potassium in 76 | " Causes of 5 |
| " " Iron in 171 | " and Cultivation of the Soil 101 |
| " Functional Derangement of 76 | " Hereditary and Congenital 24 |
| " Irregular—Formula for 171 | Malarial Coma—Treatment of 36 |
| " Size of-Influence of Disease 170 | " Diseases—Belladonna in 179 |
| Hebephrenia | " Fever-Decoction of Lemons in 116 |
| Hot Foot-Baths—Action of 69 | " " Iodine-Feeble Influ- |
| Hydrobromic Acid—Substitute for the | encc of 115 |
| Bromides | ' Laryngitis |
| | Lat. Juganie in the control of the c |
| Hypnotism as a Therapeutic Agent 73 | Distribution |
| Hysteria 59 | Membraneous Croup and Diphtheria 103 |
| " Electrical Treatment 92 | Meningitis—Cerebro-spinal—Tubercular 165 |
| Hysterical Hair-curling 123 | Mettauer's Laxative 106 |
| " Paralysis and Polio-Myelitis An- | Morphia and Apomorphia in Coughs 80 |
| terior-Differential Diagnosis. 9 | Muscarin 29 |
| " Trance | |
| Hystero-Epilepsy in a Boy 28 | Nasal Catarrh |
| - James - propagation at Easy | Nausea-Hot Water in 15 |
| Ileus-Swallowing Shot in the Treat- | Nerve-Stretching |
| | 46 46 73 |
| ment of | |
| Impacted Fæces | Nerve Weakness-Pathology and Treat- |
| Infectious Diseases-Morbid Changes of | ment 116 |
| Air Passages 179 | Nervous Cough 108 |
| " New Reaction of | Neuralgia-Diabetic and Nephritic 88 |
| Urine 73 | " Excision of Superior Maxil- |
| Inosuria 77 | lary and Inferior Dental |
| Insanity cured by Erysipelas | Nerve 42 |
| January and | |

| PAGE | PAGE |
|---|---|
| Neuralgia of the Head | Rabies—Allyl Sulphide 11 |
| of Stomach 43 | Rectal Alimentation |
| "Treatment of | Remedies out of Fashion |
| " " | Respiratory Murmurs—Origin of 90 |
| " Trigeminal-Ligation of Com- | " Organs—Inhalations in 46 |
| mon Carotid 88 | Rheumatism—Acute 72 |
| " Tuning Fork in 186 | " " and Chorea 22 |
| Nickel—Therapeutic Properties 180 | " and Chronic 20 |
| Night Sweets Salicylic Acid in 90 | |
| Night Sweats—Salicylic Acid in 80 | Cyanides in |
| Nitro-Glycerine—Subcutaneous Injection | Effology |
| of 116 | External Application |
| Nose Cough—Sensitive Area in Nasal Mu- | of Salicylate of Soda 132 |
| cous Membrane 125 | rasting |
| | Tenthy of th or |
| Pachymeningitis—Cervical 151 | Trescription for |
| Paralysis from Ether Injection 89 | Rheumatism—Articular |
| PepsinAction of | " Liniments in 164 |
| Peritoneum—Absorption by | " Local Application of Sali- |
| Pernicious Anæmia—Atrophy of Gastric | cylate of Soda 21 |
| Glands 62 | " Muscular Colchicine 21 |
| Pharyngitis—Treatment of | " Muscular — Subcutaneous |
| Philadelphia Clinics—Practical Points. 145 | Injections of Carbolic |
| Phthisis—Aluminium in | · Acid 37 |
| | " Oil of Wintergreen in 21 |
| | " " … 132 |
| | " Pathology of 1 |
| Dionentis and Fneumonia 143 | " Powdered Capsicum in 72 |
| " Mullein Plant in | " Salicylates in 2 |
| Prophylaxis in Hospitals 107 | " Sign of Phthisis 164 |
| Pierotoxin—Biological Action of 130 | " Treatment of 17 |
| Pleurisy—Displacement of the Heart, and | Venesection 22 |
| Syncope in | Rhinoscopy-Posterior-Easy Method 155 |
| " Intercurrentin Heart Dis- | |
| ease | Salicylic Acid, or Quinine 134 |
| " Intermittent Anasarca 37 " Jaborandi in 23 | Salines-Rectal Administration of 175 |
| 540014Hd1 H1 | Sciatica 104 |
| Pleuritic Effusion—Physical Signs 23 Pneumonia—Bleeding in | ScoliosisAcute 113 |
| | Sea-Sickness-Hypodermic Injections of |
| modal—freatment of 19 | Morphine 44 |
| Trognostic Sigu 105 | " Prevention of 191 |
| reatment of 64 | Sensation and Consciousness not Simul- |
| 100 | taneous |
| Polydipsia—Case of | Sick Headache—Cause of 10 |
| Polyuria—Pilocarpine in | Sore Throat—Ether in |
| Traumatic—Brain Lesions of. 125 | " " Specific 13 |
| Position in Treatment of Disease 131 | Spasm of the Glottis |
| Proctitis from Plum Stones | Spasms—New Remedy 40 |
| Pulmonary Cavities—Local Treatment. 13 | Sphæro-Bacterium 9 |
| Congestion of Rheumatic | Stomach—Affections of—Presence of |
| Origin | Phosphate of Magnesium in Urine 140 |
| Discase—Iodoform in 172 | Stryone—Anæsthelic Action 59 |
| Purpura Hemorrhagica—Fatal 115 | Suppression of Urine |
| | Sympatheticus—Symptoms of Lesion of, 138 |
| Quinine—To disguise Taste of 50 | by in parameters—by in promis of Lesion of, 186 |
| " To hasten Action of 36 | Tabes—Bromide of Uranium |

| | | 1 | PAGE | | | PAGI |
|---------|-----------------|----------------------------|------|---------|--------|------------------------------|
| Tabes M | T esente | rica—Iodine Blisters | 106 | Typhoid | Fever | -Pulse and Temperature. 146 |
| Tæniæ S | Solium | -Turpentine in | 14 | 11 | 6.6 | Rational Treatment of 177 |
| 44 | 6.6 | | 14 | ** | 6.6 | Renal Form 168 |
| Tetanus | -Caus | se of | 41 | 6.6 | 4.6 | Salicylate of Bismuth in 163 |
| 44 | | ine and Belladonna | 42 | 44 | 6.6 | Signs of Convalescence. 54 |
| 44 | Serp | ent Venom in | 185 | 6.6 | 4.6 | Symptoms previous to |
| 6.6 | - | Slight Causes | 10 | | | Perforation 68 |
| Therape | | otes | 135 | 6.4 | - 6 | Tr. Ferri Chl. in 167 |
| | | | | 64 | 4.6 | Treatment of |
| | | ged—Treatment of | 45 | 66 | 4.4 | 54 |
| | | f Blood into Peritoneal | | ** | 4.6 | " " … 140 |
| | | | 55 | 11 | 44 | " —in Ziems- |
| | | tria in | 185 | | | sen's Clinic 85 |
| | | culation | | 84 | 4.4 | Veratrum Viride 99 |
| | | | 100 | | | |
| 66 | | it a Parasitic Disease ? | 51 | Uræmia- | -New | Theory of 78 |
| 8.6 | 0 | rigin and Natural History. | 25 | Uræmic | Asthn | na-Nitrate of Amyl and |
| 4.6 | | ulmonary-Early Diagnosis | 46 | | | Nitro-Glycerine 115 |
| Tympar | | Sub-Clavicular | 5 | 6.6 | Coma | hastened by Morphia 115 |
| ** T | | -Absence of Eruption | 86 | +6 | Seizur | e-Explanation of 3 |
| ** | 4.6 | Antiseptics in | 67 | Urine-I | Exami | nation of 78 |
| 44 | 6.6 | Coffee in | 86 | ** (| Origin | of Certain Alkaloids |
| 18 | | Diseases of Optic Disc | G | | | |
| ** | 6.6 | Ergot in | 53 | Various | Prescr | iptions 12 |
| 4.6 | 66 | Ether in | | | | pho-Carbolate of Sodium |
| ** | 6.6 | Fatal Œdema of Glottis. | | | | 6 |
| 4.6 | € € | Fatal—Tetanus in | 87 | | | |
| 0.6 | 4.6 | Iodo-Phenol | 83 | Water- | How t | o prepare for Drinking 18 |
| ** | 4.4 | Jaccoud on | 66 | | | |
| ** | 4.6 | Organisms of | 54 | Zinc-T | herapo | eutic Action 1 |

SURGERY.

| | PAGE | | PAGE |
|---------------------------------------|-------|---------------------------------------|------|
| Abdominal Tumors-Diagnosis of | 38 | Bronchocele-Extirpation-Results | 119 |
| Abscess - Cerebral - Bilateral Choked | | Bubo-Treatment of | 76 |
| Disc | 176 | Buboes and Chancroids-Salicylic Acid | 108 |
| " Chronic-Alcohol Injections. | 52 | Burns-How to apply Soda | 55 |
| " Cold-of Tongue | 115 | " Pathology of Deaths from | 104 |
| " of Neck-Cure without Ci- | | | |
| catrices | 53 | Cancer-Diagnostic Use of Stomach | |
| Abscesses-Practical Conclusions con- | | Pump | 43 |
| cerning | 40 | " Gastric | 133 |
| Acne Rosacea-Treatment of | 110 | " Latest Remedy | 132 |
| " Treatment of | 109 | " Lupus, Lepra—Differential Di- | * |
| 46 44 | 191 | agnosis | 76 |
| Aluminium-Acetate-as a Dressing | 131 | Carbuncle—Actual Cautery | 24 |
| Amaurosis-Treatment by Percuteur | 156 | " Treatment of by Scraping | 186 |
| Amblyopia in Diabetic Patients | 44 | Cerebral Hemorrhage and Fracture | 34 |
| Amputation-Coat Sleeve | 114 | Cervical VertebræDislocation of | 129 |
| " at Hip Joint | | Chancre of Chin | 90 |
| " of Upper Extremity | 19 | " Excision of | 90 |
| Anæsthesia-New Method of Producing | 117 | " Hard and Soft-Differential | |
| Anesthetics—Local | 150 | Diagnosis | 47 |
| Angioma of Scalp-Removal of | 100 | " Phagedænic-Pyrogallic Acid. | 90 |
| Angular Anchylosis of Femur-Subcu- | | " Treatment of by Heat | 187 |
| tancous Division | 97 | Chancroids and Buboes-Salicylic Acid. | 108 |
| Anti-Blenorrhagic Boluses-Simonnot's. | | Charbon—Treatment of | 158 |
| Antiseptic Dressing—Turf-Mould | 4 | Children-Early Union of Fractures in. | 49 |
| " Naphthaline as | | Chloral Hydrate as a Vesicant | 114 |
| " Uses of | | Chordee-Bromide of Potassium in | 76 |
| Anus-Artificial-Treatment of | | " Treatment of | 121 |
| " Fissure of-Iodoform | | Chromic Acid | 103 |
| " Imperforate | 153 | Ciliary Border of Lid-Modification of | |
| Arthritis-Suppurative-Ergot in | | Operation | |
| Astragalus—Dislocation of | | Ciliary Muscle-Weakness of-Eserine in | |
| Aural Disease—Transmission of Sound | . 142 | Clavicle-New Feature in Treatment | |
| | | Club Foot—Treatment of | 163 |
| Balano-posthitis—Diagnosis of | | Comedones—Treatment of | 9 |
| Baldness-Premature-Treatment of | | Condylomata | 2 |
| Bladder—Digital Exploration—Remova | 1 | Conjunctiva—Amyloid Tumors | . 1 |
| of Growths | . 73 | Contracted Fingers-Treatment of | |
| Blenorrhagic Pleurisy | | Contracture and Paralysis-Hysterical | 13 |
| Blisters-New Method of Preparation. | | Corneal Opacities—Treatment of | |
| Boracic Acid—To Powder | | Cutaneous Absorption—especially of | |
| Broken Neck-Recovery | 4 | Lead Salts | . 12 |

| | PAGE | | PAGE |
|--|------|--|------|
| Dandruff | 174 | Fish bones in Throat | 150 |
| Dental Caries—Temporary Treatment | 37 | Fracture and Cerebral Hemorrhage | 34 |
| Depilatories | 173 | Fractures—Early union in Children | 49 |
| Dupuytren's Contraction - Surgical | | " Hereditary Disposition to . | 180 |
| Treatment | 162 | " Iodoform in Compound | 180 |
| | | Retarded Union—Diabetes | 181 |
| Ear—Action of Quinine on | 78 | " Rise of Temperature | 180 |
| " Acute Inflammation of | 61 | " Treatment of—In British | |
| " Effect of Agents introduced | 79 | Hospitals | 145 |
| " Tack in | 44 | Freckles-How to Remove | 12 |
| Earache—Remedy for | 142 | " Removal of | 123 |
| Ears—Effect of Noises in | 111 | Fundus Oculi—Changes from Diseases | |
| " Examination of-by Tuning Fork | 128 | of Liver | 45 |
| Eczema—Bicarbonate of Soda in | 192 | Furuncles—Treatment of | 115 |
| " Contagiousness of | 173 | | |
| " of Genitals | 12 | Gall-Stones-Extirpation of Bladder for | 116 |
| " of Scalp in Infants | 172 | Ganglion of Knee-Articular | 146 |
| " Pomade for | | Gleet-Electricity in | 6 |
| " Scrotal-Hoang-nan in | 172 | Goitre-Biniodide of Mercury | 139 |
| " Treatment of | 191 | " Nervous Symptoms | 138 |
| " -In Prague | 124 | " Treatment of | 139 |
| Emergencies—Surgical Expedients | 136 | Gonorrhœa-Belladonna in | 107 |
| Enlarged Glands-Electrical Treatment. | 72 | " Easily Cured | 171 |
| Epididymitis | | " and Joint Complications | 75 |
| Epistaxis-Hot Water in | 116 | " Pathological Changes | 168 |
| Epithelioma-Interstitial Injections | 5 | " and Pruritus Urethræ | 107 |
| Epitheliomata-Ulcerating-Chlorate of | | " of Rectum | 107 |
| Potass. in | | " Treatment of | 107 |
| Eye-Changes in Liver Disease | | 14 14 | 27 |
| " Chronic Inflammation | 44 | 44 44 | 48 |
| " Diseases—Iodoform | 15 | 14 14 | 75 |
| " Lotions-Is Distilled Water best | t | Gonorrical Rheumatism-Manacain | 187 |
| for | 111 | Granular Lids-Purulent Inoculation | 92 |
| " New Method of applying Reme- | | " Treatment of | 176 |
| dies | | Gummy Tumors—Peculiar | 26 |
| | | | |
| Felon—How to Cure | 135 | Hæmostatic Forceps | 182 |
| Femur-Anchylosis of-Subcutaneous | | " Lycoperdon Giganteum | 38 |
| Division | 97 | Hairy Scalp-To apply Lotions | 78 |
| " Fracture of-Rupture of the | | Hair-Tonic—Salicylic | 127 |
| Sciatic Nerve mistaken for. | | Hands-Moist | 159 |
| " Fracture of-Some Questions on | | Heaton's Operation | 69 |
| " Treatment | | Hemorrhoids—External Treatment of | 80 |
| " in Old People | | " Mucuna Pruriens in | 152 |
| " Laxative—New Method of Re | | " Radical Cure | 151 |
| duction | | Hernia-Belladonna in | 52 |
| " New Method of Re | | " Case of, with Cysts | 184 |
| duction | | " Femoral | |
| " New Point | | " Inguinal | |
| " Subcutaneous Section of Tro | | " Strangulated | - |
| chanter Major | | " Radical Cure | |
| " Treatment of Certain Frac | | " Reduced by Electricity | 85 |
| tures | | Reduction of | |
| " Treatment of Fractures of Shaf | - | Some Points on Reduction | 1 |
| Fibroma of Renal Capsule | | " Strangulated—Morphia in | |
| a solution of atomic supportion of the contract of | | | |

| | PAGE | | PAGE |
|--|-----------|--|------------|
| Hernia—Treatment of | 19 | Malignant Growths—Local Nature " " Origin | 132 135 |
| of Stomach | 85 | Maxwell's Spot | 45 |
| Herpes Zoster—Bilateral | 13 | Meatus Urinarius-Division of in Loco- | |
| " " Etiology | 30 | motor Ataxia | 186 |
| Hip-Dislocation of-Reduction by In- | | Membrana Tympani-A Substitute for | 175 |
| cision of Capsular Ligament | 84 | Mercurial-New-for Hypodermic Use | 26 |
| Hip-Joint Amputation | 18 | Middle Ear—Medication of | 16 |
| " To Control Hem- | | Mumps-Deafness following | 45 |
| orrhage | 130 | Muscle—Transplantation of | 36 |
| Humerus—Dislocation of Head—Injury | | Mustard and Molasses Plasters | 72 |
| to Axillary Artery | 66 | | ~~ |
| Hydrocele—in an Adult | 140 | Nævi—Electrolysis in | 57 |
| Double—In Infant | 140 | Naphthaline - as an Antiseptic | 154 |
| Dr. Cattaneo's Treatment | 108 | New Protective | 105 |
| nadical Cure | 109 | New Styptic | 114 |
| Hydriodate of Hyoscyamin | 111 | Nose-Bleeding—Habitual—Treatment | 150 |
| Hyperidrosis of Axilla | 110 | (T) (1) (1) 1 | 10 |
| [ababan] | | Œdema of the Skin—Acute | 12 |
| Ichthyol | 77 | Ophthalmia Neonatorum—Treatment of | 174 |
| Ignipuncture | 113 | epecino ioritation | 14 |
| Inflammation—Therapeutic Means for | 149 | Optic Decussation | 127 |
| Influence of Continuous Cold on Deeper | Pro. | Orchitis—Collodion Dressing | 171 115 |
| Tissues | 73 | Osteomalacia—Phosphorus | 113 |
| Intestinal Obstruction | 93 | Otitis-Chronic Purulent-Dry Treat- | 128 |
| | 0.4 | ment of | 175 |
| Rectal Tube Intussusception—Treatment of | 94 | Otitis Media—Dry and Moist Treatment Otorrhea—Chronic—Iodoform in | 157 |
| Iodide of Potassium—Hypodermic Use. | 64 | Otorrheal Diseases—Dry Treatment of | 61 |
| Iodine—Colorless Tr | 60 105 | Otorrheat Diseases - Dry Treatment of | 01 |
| Iodoform—Medical Properties | 57 | Paludism—Cutaneous Manifestations | 95 |
| Itching—Treatment of | 192 | Paraphimosis—Treatment of | 75 |
| Treatment of | 100 | Parasites—Human | 159 |
| Jequiritic Ophthalmia | 78 | Patella—Cause of Non-Union of Frac- | 100 |
| Joints—Temperature of | 104 | ture | 179 |
| temperature of | 104 | " Dislocation of—Mechanism | 65 |
| Knee and Hip-Dislocation of | 167 | " Fracture of—Treatment | 35 |
| Knee-Joint—Amputation | | 11 11 11 11 11 11 11 11 11 11 11 11 11 | 161 |
| ince-some-imputation | 1 | Penis-Three-barrelled | 187 |
| Lachrymal Conduction—Mechanism | 79 | Permanganate of Potash vs. Carbolic | |
| Laminated Splints—Thomas' & Jordan's | | Acid | 153 |
| Combined | | PhimosisTreatment of by Dilatation | 169 |
| Leg-Fracture of-Treatment | | Pneumothorax—Operative Treatment | |
| Lens—Conjunctival Displacement | | Polypi—Nasal—Destruction by Chromic | |
| Lepra, Lupus and Cancer—Differential | | Acid | |
| Diagnosis | | Poultice-How to Make | 43 |
| Lichen Ruber vel Planus-Affections of | | Prolapsis Recti-Langenbeck's Method | 63 |
| Mucous Membranes in | | | |
| Ligatures-Best Material | | | |
| Linsced-meal Poultices—Exhausted | | Non-Syphilitic | 29 |
| Lupus—Diagnosis of | 63 | | |
| " Exedens | | | |
| " Lepra and Cancer-Differentia | | Pupillary Phenomenon in Children | |
| Diagnosis | | | |
| " Vulgaris-Diagnosis of | 63 | Rectum—Cancer of—Linear Incisions | . 6 |

| 1 | PAGE | | PAGE |
|---|------|-------------------------------------|------|
| Rectum—Hemorrhage from | 87 | Suture Carrier | 168 |
| Renal Capsule-Fibroma | 6 | " Clamp Coaptation of Wounds | 105 |
| Retina-Glioma of | 16 | Sycosis Parasitica | 96 |
| Rheumatism-Gonorrhœal-Cardiac Le- | | SyphilidesTubercularPolymorphous | |
| sions | 10 | Changes | 187 |
| Ring-How to Remove | 162 | " Vesicular | 29 |
| Ringworm of Scalp-Treatment of | 12 | Syphilis-Boro-Glyceride | 11 |
| 66 66 66 | 77 | " Brain | 10 |
| " Treatment of | 12 | " Constitutional Treatment of | 121 |
| | 1 | " of the Eye and its Appendages | 74 |
| Sarcoma of Skin cured by Arsenic | 117 | " Gold in | 170 |
| Scabies—Chlorinated Oil | 63 | " Hepatitis in Children | 106 |
| Scalp Wounds-Treatment of | 69 | " Hereditary-Production of | |
| " Union by First Inten- | | Idiocy or Dementia | 120 |
| tion | 68 | " History of | 107 |
| Scurvy in Infant | 12 | " Hydrotherapy | 91 |
| Sexual Exhaustion-Cactus Grandi- | | " Immunity of Animals | 89 |
| florus in | 188 | " Injections of Iodoform | 26 |
| Skin-Absorption of Watery Solutions | 160 | " New Remedy | 90 |
| " Pathological Changes-Nervous | | " Nitrate of Silver as Substitute | |
| System—Cause | 110 | for Mercury | 91 |
| Skin Diseases-Glycerine in | 123 | " Pathology of Intestinal | 74 |
| " Influence of Alcohol on | | " Pulmonary - Diagnosis | 25 |
| Development of | 123 | " Respirator in | 11 |
| " Medicated Gelatine in | 95 | " Treatment of | 58 |
| " Naphthol in | 62 | 64 46 | 89 |
| " Notes of One Hundred | | " - Complicated | |
| Cases | 188 | with Malaria | 89 |
| " Parasitic-Treatment of | 94 | " and Vaccinia-Antagonism be- | |
| " Perchloride of Iron | 96 | tween | 60 |
| Skin-flaps-Transplantation without Pe- | | " in Women-Difficulty in De- | |
| dicle | 120 | tection | 120 |
| Small Doses | 48 | Syphilitic Enlargement of Tonsils | 00 |
| Soft Soap-Therapeutical Use of | 9 | | |
| Spermatorrhœa—Oxaluria a Cause | 172 | Temperature—Differences in | 118 |
| " Treatment of | 121 | Testicles Enlarged - Pressure - New | |
| Spina-Bifida | 116 | Method | 170 |
| " Case of | 117 | Therapeutic Agents-Germicide Value | 119 |
| " New Operation | 71 | " Notes on Skin Diseases | 143 |
| Spinal Curvature-Perforated Felt Jacket | 84 | Thigh—Fracture of | 17 |
| Spleen Wounds-Healing of | 153 | Thumb—Dislocation of—Modified Plan | |
| Sponge Grafting | 73 | of Reduction | 181 |
| Sprains-Neglected-Treatment of | 42 | Tibia-Pseudarthrosis of-Treatment | 180 |
| Squint—Theory of | 43 | Tinea Tonsurans-Cayenne Pepper in- | |
| Stomach-Distention of by Carbonic | | Glycerine | 111 |
| Acid Gas | 80 | " Versicolor | 123 |
| Strabismus ConvergensManagement | | Toe Nails-Hypertrophy of | 122 |
| of | 112 | Toothache—Iodoform in | 131 |
| " Cured by Glasses | 92 | " Submucuous Injection of | |
| Stricture of Female Urethra | 141 | " Chloroform | 132 |
| " Urethral-Electrolysis in | 158 | Tooth Extraction-Death Following | 149 |
| Styes—Treatment of | 93 | Trichiasis-Electrolysis in | 32 |
| Styptics—Uselessness of | 56 | Trichlorphenol | |
| Sulphurated Camphor Liniment | 90 | Tumors—Gummy—Peculiar | 26 |
| Surgical Instruments—To protect | 149 | Turf-Mould-Antiseptic Dressing | 4 |

THE AMERICAN MEDICAL DIGEST.

| | PAGE | | PAGE |
|-----------------------------------|------|------------------------------|------|
| Ulcers—Bismuth in | 131 | Warts-Treatment of | 46 |
| " Chronic-Galium Aparine in | 139 | 66 46 | 174 |
| " Varicose-Bismuth Subnitrate | | 46 46 | 174 |
| in | 53 | Wens-Removal without Knife | 186 |
| Urethra—Discharge of | 100 | Whitlow-Treatment of | 70 |
| " Female-Stricture of | 141 | WoundsDressings for 152, | 154 |
| Urethral Discharges-Diagnosis | 157 | " Oxygenated Water Dressing | 43 |
| Urethritis in Female-Treatment of | 10 | " Suture Clamp Coaptation of | 105 |
| Urticaria—Chronic—Treatment of | 46 | Wrist—Resection of | 130 |
| Warts-Removal of | 127 | ZosterOil of Peppermint. | 11 |

DISEASES OF WOMEN AND CHILDREN, AND OBSTETRICS.

| | PAGE 1 | | PAGB |
|--|--------|--------------------------------------|------|
| Abdominal Presentation | 64 | Cerebro-Spinal Meningitis-Case of | 77 |
| Abortion—Asafætida in | 110 | Cervix Uteri-Laceration-Etiology | 21 |
| " Butternut in | 32 | " Pigmentation of | 55 |
| " Management of Placenta | 31 | Child Born with Teeth | 75 |
| Abscess at Umbilicus of Infant | 77 | Chlorosis and Fever | 134 |
| Activity of Senses in Infants | 107 | " Treatment of by Blood-letting | 118 |
| Adenoma-Mammary-Extirpation with | | Cholera Infantum-Fowler's Solution | 58 |
| Continuance of Function | 6 | Chorion-Hydatidiform Disease | 61 |
| Adherent Placenta | 108 | Chronic Uterine Affections-Treatment | |
| " Retained for years, | | of | 65 |
| simulating Cancers | 126 | Climacterie Dyspepsia | 116 |
| Amenorrhœa-Manganese in | 39 | Cold Douche in Sleeplessness | 93 |
| 44 44 | 145 | Colic in Children | 26 |
| " Treatment of | 147 | Constipation—Infantile | 139 |
| 44 44 | 183 | " In Infants | 133 |
| Amniotic Fluid-Ptomanes | 12 | Convulsions—Stomach Tube, | 27 |
| Anæsthetics in Labor | 159 | Craniotomy-Is it Justifiable? | 123 |
| Anteflexion of Cervix Uteri-Rapid Di- | | Croup—French Treatment of | 155 |
| latation | 34 | " Spasmodic-Cotton Seed | 75 |
| Antiseptic Midwifery | 48 | " Sulphide of Calcium in | 168 |
| Anus-Imperforate-Rare Form of | 153 | Cutaneous Perspiration in Children | 140 |
| | | Cyst—Treatment of | 133 |
| Bathing Infants in the Sea | 168 | Cystitis | 109 |
| Batty's Operation Antiseptics | 180 | 3 | |
| Blenorrhea Neonatorum-To Prevent | 121 | Delivery—Hot-water Enemata in | 190 |
| BloodHypodermic Injection of | 156 | " Prevented by Fætal Spleen | 191 |
| | | Diabetes—Puerperal | |
| Cæsarian Operation | 125 | Diarrhœa—Chamomile in | 58 |
| Cancerous Uterus-Extirpation of | 179 | " in Children-Treatment of | |
| Cancrum Oris-Bismuth Subnitrate | 28 | in Infants | |
| Carbolic Oil and Vaseline in Obstetrical | 1 | " Summer | |
| Practice | 95 | " Water in | |
| Carcinomatous Uterus-Total Extirpa- | | Disinfection by Corrosive Sublimate | 124 |
| tion | 165 | Dried Blood-Feeding with | |
| Cardiae Ectopia | 191 | Dysmenorrhæa Mixture | |
| Carrying Children | 170 | " Salycilates in | |
| Castor Oil and Glycerine | 106 | " SpasmodicTreatment | |
| Catamenia-Deviation of | . 117 | of | |
| Cathartic for Infants | . 75 | Dyspepsia of Children—Bismuth in | 170 |
| Cellulitis-Pelvic-Apparatus for Treat | - | | |
| ment of | . 7 | Earache in Children | |
| Cerebral Hyperæmia in Children | 43 | EciampsiaInfantilis | . 4. |

| | PAGE | PAGE |
|---------------------------------------|------------|---|
| Eclampsia—Nutans | 105 | Infants—How to bring up 185 |
| " Observation on | 80 | Insane Women-Frequency of Uterine |
| " Puerperal | 142 | Diseases 5 |
| Puerperal-Hot Baths in. | 96 | Intracranial Diseases—Diabetes a Symp- |
| Efficient Galactagogue | 108 | tom |
| Emmenagogue | 116 | Intra-pelvic Inflammation—Chronic 119 |
| 44 | 114 | Intussusception in Infants 74 |
| Endometritis | 26 | |
| " Fungosa — Etiology — Ols- | | Koumiss |
| hausen | 177 | Kyphotic Pelvis—Obstetrics of 158 |
| Entero-Colitis of Children | 155 | |
| Ergotine Suppositories | 87 | Labia Minora—Premature Labor—Cause 111 |
| Ether Injections and Transfusion | 47 | Labor—Anæsthetics—Use of 159 |
| " Subcutaneously Injected | 109 | " Complicated by Lipoma of Labi- |
| Extirpation of Ovaries-Menstruation | | um Majus 126 |
| after | 179 | " Dangerous Hemorrhage from Ex- |
| | | ternal Genitals 111 |
| Feeding Syphilitic Infants | 136 | " Management of in Copenhagen 176 |
| Female Genital Organs—Anatomy of | 135 | " Prolonged Use of Chloroform 112 |
| Fever in Young Children-Combating | 120 | " Rupture of Vagina during 191 |
| Flexions of Uterus and Nervous Affec- | | " Straight-bodied Position 60 |
| tions—Relation of | 134 | " Tetanus and Tetanoid Contrac- |
| Feetal Bones-Retention of in Uterus. | 12 | tions |
| Forceps—Axis-Traction—Simpson on | 192 | Laparotomy in the New-Born 160 |
| Funis-Rupture of | 48 | Leucorrhœa 9 |
| | | " and Eye Diseases 24 |
| G.lactagogue | 63 | " Infantile 88 |
| Gall-Stones in an Infant | 122 | Lumbricoid Worms—Expulsion of 59 |
| Gartner's Canals—Diseases of | 173 | Lying-in-Bed—Water Bed for 123 |
| Gastric Disorders—Luctopeptine in | 171 | Lymphangiectasis and Lymphorrhagia 115 |
| " DisturbanceChloroform Breath | 107 | |
| Generative Organs and Eye Diseases- | - | Manganese in Amenorrhea and Menor- |
| Relation | 25 | rhagia |
| German Midwives—Instructions to | 111 | Mastitis in Infants |
| Gynccological Operations—Hemorrhage | 101 | Measles—Micrococci in Blood 11 |
| in | 161 | " Temperature of 57 |
| Hamanhara Introponana Intestina d | | Meningitis Tuberculosa—Iodoform in 59 |
| Hemorrhage—Intravenous Injection of | 4 100 | Menorrhagia—Cannabis Indica in |
| Fluid | 45 | manganese m 149 |
| Hydrocephalus—Chronic | 174 | rediaigle |
| | 89 | |
| Hydrops Chorii | 159 | " Coma—Venesection 7 " Derangements of 36 |
| Hypophosphites and Children | 70 | " after Extirpat'n of Ovaries 179 |
| Hysterectomy—Indications for | 171 | " State of Uterine Mucous |
| Hysteria—Cauterization of Clitoris | 152 | Membrane 166 |
| | 87 | " Typhoid Fever 8 |
| " Visceral | 81 | Metrorrhagia—Malarial |
| Incubation Last Thing in | 40 | Metrormagia—Maiariai 49 |
| Incubation—Last Thing in | 10 | Naced Polyni in Children |
| Infant Feeding | 187 | Nasal Polypi in Children |
| " Foods | 186 108 | Nipple—Paget's Disease of |
| " Paralysis—Treatment of | 76 | Nocturnal Incontinence of Children 29 |
| Infants—Disturbance of Locomotion | 137 | Nursing—New Reasons for 188 |
| " Food | 138 | Nymphomania and Hemorrhoids 7 |
| Food, | 100 | Try inputomanta and Tremorrholds |

| PAGE | P.3G2 |
|---|---|
| Occipito-posterior Cases 176 | Plantago Lanceolata—Styptic 178 |
| Offensive Menses 21 | Porro's Operation |
| Ophthalmia Neonatorum-Cold Douche in 137 | Post-Partum Hemorrhage-Treatment of 125 |
| Os Uteri—Ulceration of | Pregnancy-Acute Anasarca in 158 |
| Ova 143 | " Carbon Monoxide and 176 |
| Ovaries-Intra-pelvic Dislocation 17 | " Complicated with Cancer of |
| Ovariotomy 5 | Cervix 64 |
| " Antiseptic—Billroth's 151 | " Diagnosis of 190 |
| tion 180 | " Duration of 173 |
| " Antisepsis—Battey's Opera- | " Extra-uterine-Retention of |
| " Double-With Uterine Adhe- | Fœtus 175 |
| sions 85 | " Hyper-Emesis 13 |
| " Essentials of Success 1 | " Nephritis 62 |
| " Puncture of Gravid Uterus 56 | " with Occluded Vagina 125 |
| " Vaginal 5 | " Vomiting of 63 |
| Ovaritis-Chronic 57 | " " … 144 |
| Oxytocic Action of Quinine 141 | " " … 144 |
| • | Premature Labor-Induction of for Sup- |
| Parturition in Aged Primiparæ 61 | pression of Urine 126 |
| " Complicated with Pertussis 111 | " |
| " How to secure best Condition 127 | nora 111 |
| " Rupture of Aörta 48 | Pruritus Vulvæ-Causes and Treatment, 53 |
| Pelvis-New Method of Measuring Diam- | " " Treatment of 149 |
| eters of 123 | " " " … 149 |
| Perinæum-Laceration of94 | Puerperal Fever |
| Peritonitis in Infants 44 | " Cause of |
| " Neonatorum 93 | " Infection-Erosion of Nipple |
| " and Cellulitis-Pelvic 180 | a Cause 143 |
| " Value of Leiter's Coils in 184 | " Sepsis-Treatment of 112 |
| Perincorrhaphy—Soluble Stools in 102 | " " " … 62 |
| Permeum—Rupture—Closure of with- | " Septicæmia 128 |
| out Constipation of the Bowels 119 | " and Bacteria 64 |
| Peri-uterine Cellulitis and Central Abcess 25 | " Iodoform Supposi- |
| Pertussis—Bromide of Ether 107 | tories 94 |
| " Cresyline in 41 | Quinine—Endermatic Use 75 |
| " Croton Chloral in 169 | Guinne Indermite Disc. |
| " Eucalyptus in 41 | Recto-vaginal Fistula-Treatment of 179 |
| " Germ of 41 | Renal Calculus in Children 11 |
| " Remedies | Resuscitation of Infants |
| " Sprays in 41 | Rheumatism—Articular—In Children 28 |
| "Treatment of | Rigid Os—To Relax |
| Pessaries in Minor Displacements 86 | Itigia OS TO Roma. |
| Pessary—Plaster-of-Paris | Santonin—How to administer 106 |
| Phenomenon—Obstetrical | Scarlatina—Alcohol in 58 |
| Phlegmasia Alba Dolens—Massage in 174 | " Crotalus in 136 |
| Placenta and Membranes—Unusual Rela- | Diagnosis of 121 |
| tion | " Temperature in 122 |
| Placenta Prævia | " Maligna-Sulphurous Acid in 76 |
| | Recurrence of |
| Central Deparation 141 | " Treatment of |
| Head-mst Denvery 112 | Sclerosis—Disseminated—In Children. 187 |
| " Treatment of Hemor- | Septicæmia—Puerperal |
| Treatment of Hemor- | Sharp Spoon in Gynecology 148 |
| rhage of | Signs of Pregnancy |
| Placental Origin of Congenital Heart | Eight of Fredmine), |
| Disease 12 | Singultus—Specific for 154 |

| | PAGE | | PAGE |
|---|------|---|------|
| Spasmodic Affections of Respiratory | | Uterine Fibroids-How to deal with them | 0 |
| Tract | 108 | " Movements | 108 |
| Stenosis of the Cervix Uteri-Rapid Dil- | | " Polypi | 163 |
| atation | 34 | " Repositor-New | 71 |
| Summer Complaints in Children, | 154 | " Supporter—Novel | 133 |
| Superinvolution of the Uterus | | " Ulceration | 518 |
| Supporter-Novel Uterine | 133 | Uterus—Dilatation of | 36 |
| Symphysiotomy Statistics | 60 | " Neck | 79 |
| | | " Electrical Stimulation | 56 |
| Tabes Dorsalis in Childhood | 58 | " Extirpation of | 149 |
| Tetanus Neonatorum-Bromide of Pot | | " per Vaginam for | |
| ash in | 167 | Prolapse | 8 |
| Transfusion and Ether Injections | 47 | " Fundamental Nervous Plexus, | 20 |
| of Pure Water | | " Influence of Worry and Ner- | |
| " Verneuil on | 47 | vous Shock on | 181 |
| Trismus et Tetanus Neonatorum | 93 | " Retention of Fætal Bones | 12 |
| Tuberculosis of Heart in Children | 29 | " To accelerate Involution | 26 |
| " Infants | 107 | " Tolerance of-Septic Inflaences | 35 |
| Tumor—Treatment of | | 1 | |
| | | Vaccination—Negative Effect on Fœtus | 78 |
| Umbilical Cord—Breaking Strain | 63 | " New Process of | 15: |
| " Hernia—Surgical Treatment of | | " with Saliva of Calf | 94 |
| Urethra-New Method of Exploration. | | Vagina, Uterus and Ovaries-Absence | |
| Urine of Children-Narcosis-Effect of | | of-with Distension of Bladder | 150 |
| Uterine Affections-Medication in | | Vaginal Injections-Hot-Possible Re- | |
| " Catarrh-Chronic-Curability. | | sult | 161 |
| " Contractions - New Electrica | | " Prolapse—Treatment of | 34 |
| Instrument | | Vaginismus—Treatment of | 118 |
| " Dilators | | Vaginitis—Resorcine in | 135 |
| " Disease - Constitutional Treat | | Veins—Entrance of Air into | 4 |
| ment of | | Venesection to prevent Premature Births | 6- |
| " Displacements—Treatment of | | Vesical Calculus—Rectal Examination | 59 |
| " Dyspepsiat. | | Vomiting of Pregnancy | 79 |

